

EAST Search History


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	714/30.ccls. and (trace traces tracing traced) and @pd>"20060620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 07:27
L2	11	712/227.ccls. and (trace traces tracing traced) and @pd>"20060620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 07:37
L3	30	717/128.ccls. and (trace traces tracing traced) and @pd>"20060620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 07:39
L4	28	714/45.ccls. and (trace traces tracing traced) and @pd>"20060613"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 09:02
S65	458	714/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 07:42
S66	821	714/30.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 07:44
S67	623	712/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 07:44
S68	388	717/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 07:44
S69	245	714/45.ccls. and (trace traces tracing traced)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 07:57

EAST Search History

S70	285	717/128.ccls. and (trace traces tracing traced)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 07:39
S71	202	712/227.ccls. and (trace traces tracing traced)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 07:37
S72	184	714/30.ccls. and (trace traces tracing traced)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 07:27

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	9	(timing adj trace adj apparatus).clm. and (program adj counter adj trace adj apparatus).clm. and (synchronization adj apparatus).clm. and (program adj counter adj trace adj apparatus).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 09:04
L6	2	(timing adj trace adj apparatus).clm. and (program adj counter adj trace adj apparatus).clm. and (synchronization adj apparatus).clm. and (program adj counter adj trace adj apparatus).clm. and (program adj code adj flush).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 09:05
L7	2	(timing adj trace adj stream).clm. and (program adj counter adj trace adj stream).clm. and (data adj trace adj stream).clm. and (program adj code adj flush).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 09:06
L10	2	(trace adj streams).clm. and (program adj code adj flush adj sync adj marker).clm. and (trace adj signal adj stream).clm. and (program adj code adj flush).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 09:09
L11	2	(sync adj marker adj assembly).clm. and (program adj code adj flush adj sync adj marker).clm. and (program adj code adj flush).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/16 09:10



"program flush" "trace"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 7 of 7 for "[program flush](#)" "[trace](#)". (0.10 seconds)

All Results

Tip: Try removing quotes from your search to get more results.

[M Hall](#)

[P Kogge](#)

[J Koller](#)

[P Diniz](#)

[J Chame](#)

[Technological Knowledge without Science: The Innovation of Flush Riveting in American Airplanes, ca. ...](#)

WG Vincenti - Technology and Culture, 1984 - JSTOR

... I have made no attempt to [trace](#) the details of the application in ... to the aircraft industry in connection with the national defense [program](#); "[Flush Riveting](#) in ...

[Cited by 20](#) - [Related Articles](#) - [Web Search](#)

[Mapping irregular applications to DIVA, a PIM-based data-intensive architecture - group of 7 »](#)

M Hall, P Kogge, J Koller, P Diniz, J Chame, J ... - Supercomputing, Portland, OR, Nov, 1999 -

[doi.ieeecomputersociety.org](#)

... Page 12. using Shade [Cmelik94]. Shade executes application programs and generates traces under the control of a user- supplied [trace](#) analyzer. ...

[Cited by 103](#) - [Related Articles](#) - [Web Search](#)

[New products](#)

C Acta - Chromatographia, 1985 - Springer

... use of the 4X beam condenser for obtaining spectra of [trace](#) quantities of ... meters include: range of sample vials, the autosampler [program](#), [flush](#) and calibration ...

[Web Search](#)

[book] [Object Oriented Programming Using C++](#)

B Chandra - 2005 - [books.google.com](#)

Page 1. *.Objectoriented * ir ' Programming Using B CHANDRA Alpha Science Page 2.

OBJECT ORIENTED PROGRAMMING USING C++ Second Edition Th isOn * ...

[Web Search](#) - [Library Search](#)

[Science and Public Policy since World War II - group of 3 »](#)

MW Rossiter - Osiris, 1985 - JSTOR

... and Dwight D. Eisenhower presidential libraries) in order to [trace](#) the shifts ... of various interest groups battling for a major federal [program flush](#) with lavish ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[PRECONCENTRATION AND SPECIATION OF IRON BY USING RENEWABLE SURFACE FLOW INJECTION SYSTEM \(RS-FIA\)](#)

S TEKİN - 2003 - [etd.lib.metu.edu.tr](#)

Page 1. PRECONCENTRATION AND SPECIATION OF IRON BY USING RENEWABLE SURFACE FLOW INJECTION SYSTEM (RS-FIA) A THESIS SUBMITTED TO THE ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[THE JEWISH PEOPLE IN KISVÁRDA. Their life and history.](#)

A Schöner, A György, G Eichler, E Agmon, M ... - [ca.geocities.com](#)

... II. The chronicle of the Jews in Kisvárdá. The first [trace](#) of the apparition of a Jew in Kisvárdá is noted in the year 1508. It ...


[View as HTML](#) - [Web Search](#)

"program flush" "trace"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



program flush

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 32 for "program flush". (0.08 seconds)

All Results

Technological Knowledge without Science: The Innovation of Flush Riveting in American Airplanes, ca. ...

[M Hall](#)

WG Vincenti - Technology and Culture, 1984 - JSTOR

[P Kogge](#)

... Shortly thereafter Douglas released the patent to the aircraft industry in connection with the national defense **program**; "Flush Riveting in Aircraft," Aviation ...

[J Koller](#)

[Cited by 20](#) - [Related Articles](#) - [Web Search](#)

[P Diniz](#)

[J Chame](#)

ENGINEERING PERSPECTIVE FOR THE SEISMIC SITE RESPONSE OF ALLUVIAL VALLEYS - group of 2 »

M RASSEM, A GHOBARAH, AC HEIDEBRECHT - Earthquake Engineering & Structural Dynamics, 1997 - doi.wiley.com

... response problem of the valley. A finite-element computer **program FLUSH** is used for the 2-D response evaluation. The frame model was ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Mapping irregular applications to DIVA, a PIM-based data-intensive architecture - group of 7 »

M Hall, P Kogge, J Koller, P Diniz, J Chame, J ... - Supercomputing, Portland, OR, Nov, 1999 -

doi.ieeecomputersociety.org

Page 1. Mapping Irregular Applications to DIVA, a PIM-based Data-Intensive Architecture Mary Hall, Peter Kogge*, Jeff Koller, Pedro ...

[Cited by 103](#) - [Related Articles](#) - [Web Search](#)

A coupling model of FE-BE-IE-IBE for non-linear layered soil-structure interactions - group of 4 »

Z Chuhuan, C Xinfeng, W Guanglun - Earthquake Engineering & Structural Dynamics, 1999 - doi.wiley.com

Page 1. EARTHQUAKE ENGINEERING AND STRUCTURAL DYNAMICS Earthquake Engng. Struct.

Dyn. 28, 421-441 (1999) A COUPLING MODEL OF FE-BE-IE-IBE FOR NON-LINEAR ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Effect of adjoining structures on seismic response of tunnels. - group of 4 »

C Navarro - International Journal for Numerical and Analytical Methods ..., 1992 - doi.wiley.com

... The numerical tool employed is the well-known soil-structure interaction computer **program FLUSH** and thus analyses are carried out in the frequency domain. ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Simplified transverse seismic analysis of buried structures - group of 3 »

LM Gil, E Hernandez, P De la Fuente - Soil Dynamics and Earthquake Engineering, 2001 - hera.ugr.es

... equal to 2500 kg/m³. The full model has been analyzed by the finite element method using the well-known soil-structure interaction **program FLUSH** [6]. With ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Dynamic response analysis of embankment dams - group of 2 »

AK CHUGH - International Journal for Numerical and Analytical Methods ..., 1985 - doi.wiley.com

... This computer program has been superseded by a more efficient and effective computer **program FLUSH.4** The details of the solution technique and the ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Seismic response of a reinforced concrete arch bridge - group of 2 »

K Kawashima, A Mizoguti - Proceedings of 12th World Conference on Earthquake ..., 1984 - seismic.cv.titech.ac.jp

... rock model. The base rock was assumed rigid. The computer **program FLUSH**

[Lysmer et al, 1975] was used in the idealization. The NS ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Implications of soil-structure interaction effects on the NBCC 1990 base shear provisions for high- ... - group of 3 »

S Hosni, AC Heidebrecht - CAN. J. CIV. ENG./REV. CAN. GENIE CIVIL, 1994 - csa.com

... three sites. The computer **program flush** is used to perform the numerical analyses of the various soil-structure systems. Results ...

[Web Search](#) - [BL Direct](#)

Geotechnical analysis of Mizuki embankment remains

S HAYASHI, YJ DU - Soils and foundations, 2005 - cat.inist.fr

... layer. The seismic performance of the wooden pillar-clay system is shown to be effective by numerical analysis using **program FLUSH**.

Web Search - BL Direct

Google

Result Page: 1 2 3 4 **Next**

"program flush"

Search

Google Home - About Google - About Google Scholar

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"program flush"

[Advanced Search](#)

[Preferences](#)

Web

Results 21 - 30 of about 1,210 for "**program flush**". (0.04 seconds)

Roxen Community: RFC 186 A Network Graphics Loader ()

... pairs || | +-----+ TRANSMIT,,2 ; request ARDS transmission 0,,1000 ;
convert and transmit the ; whole "**program**" FLUSH,,0 ; signoff ...
community.roxen.com/developers/docs/rfc/rfc186.html - 45k - [Cached](#) - [Similar pages](#)

[PDF] 3165 - Escape from Swamp County Park

File Format: PDF/Adobe Acrobat - [View as HTML](#)

It is very important that your **program flush** standard output after issuing a movement
attempt. e.g.. C. fputs("1\n",stdout); fflush(stdout); ...
acmicpc-live-archive.uva.es/nuevoportal/data/p3165.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - openmp_anmey P1.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

call work(me) ! do ordered work here. ticket = ticket + 1. write (*,*) me !\$OMP
flush(ticket) !\$OMP end parallel. end **program flush**. waiting loop ...
www.sc.rwth-aachen.de/Teaching/Lectures/HPC05/openmp_anmey_P1.pdf -
[Similar pages](#)

SJE-Rhombus Product Line

... separate control and alarm fuses with power indicators, replacement indicator for alarm
fuse, HAND/OFF/AUTO pump control, count, **program**, **flush** valve, ...
www.sjerhombus.com/products/product_info.asp?id=670&type=ifs - 13k -
[Cached](#) - [Similar pages](#)

[PDF] Parallel Programming with OpenMP

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Sample Program: **flush** Directive (cont.) if (tid==0) then. do j=1,M ... do j=1,stop-1.
sum=sum+c(j). end do. end if !\$omp end parallel. end **program flush** ...
www.osc.edu/hpc/training/openmp/openmp_0311.pdf - [Similar pages](#)

[IRC5-PROXYPER] network access mode for personal proxy with dial-up?

what about reading the docfiles:)) but a ctrl-break makes the program preform a flush and
a get:)) ctrl-c will make the **program flush** to disk and exit.. ...
lists.distributed.net/pipermail/proxyper/1998-July/001396.html - 5k -
[Cached](#) - [Similar pages](#)

fft3dGPU 0.8.2 - Page 24 - Doom9's Forum

I know I could lower the precision but I shouldn't should I? Is there a way to make the
program flush the vram used? Zazzybud is offline ...
forum.doom9.org/showthread.php?t=89941&page=24 - 99k - [Cached](#) - [Similar pages](#)

Torontoist: You Can Can That Can

The city is pushing its toilet replacement **program** "**Flush With Savings**" with ads on litter
bins. It's hard not to go on punning, but instead Torontoist will ...
www.torontoist.com/archives/2006/08/you_can_can_tha.php - 37k -
[Cached](#) - [Similar pages](#)

Geotechnical analysis of Mizuki embankment remains

The seismic performance of the wooden pillar-clay system is shown to be effective by
numerical analysis using **program FLUSH**.
cal.inisi.fr/?aModele=afficheN&cpsidt=17450128 - [Similar pages](#)

Closure to "Subsurface Characterization at Ground Failure Sites in ...

... a series of finite-element analyses was performed using the equivalent-linear
finite-element **program FLUSH**. These total stress analyses do not capture ...
link.aip.org/link/?JGGEFK/132/541/1 - [Similar pages](#)

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

program flush" "trace"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 56 for "**program flush**" "**trace**". (0.10 seconds)

Pascal Language Reference: 6 - Built-In Procedures and Functions

The Pascal **program**, **flush.p**. **program** flush_example(output); ... The **trace** routine uses dbx , so be sure that dbx is in your path. ...
web.mit.edu/sunsoft_v5.1/www/pascal/lang_ref/ref_builtin.doc.html - 206k -
[Cached](#) - [Similar pages](#)

LTI Journal Volume 6 2004

... a two-dimensional finite element analysis **program** (FLUSH) often used in ... and it is possible to **trace** the influence of parameters. ...
www.lit.saga-u.ac.jp/ial/lti/jnl/lti_volume6.html - 56k - [Cached](#) - [Similar pages](#)

ESPN.com - NCF - Corporate Support

His roots, in fact, **trace** to the University of Missouri (Class of '73). ... tie the company's name to a sports team -- a Trojan **program** **flush** with a pair of ...
sports.espn.go.com/ncf/news/story?id=2285564 - 118k - [Cached](#) - [Similar pages](#)

twitch124: June 2005

Cambridge started fixing the sewage overflows into the river in 1995 with a house by house testing **program** (**flush** blue dye and **trace** where it ends up). ...
twitch124.blogspot.com/2005_06_01_twitch124_archive.html - 58k -
[Cached](#) - [Similar pages](#)

JSTOR: Science and Public Policy since World War II

... D. Eisenhower presidential libraries) in order to **trace** the shifts and ... for a major federal **program** **flush** with lavish public works monies.2 1 Trudy ...
links.jstor.org/
sici?sici=0369-7827(1985)2%3A1%3C273%3ASAPPSW%3E2.0.CO%3B2-2 -
[Similar pages](#)

Apparatus and method for trace stream identification of a pipeline ...

The system as recited in claim 1 further comprising: data **trace** apparatus responsive to ... To understand the origin of the **program** **flush** sync point, ...
www.freepatentsonline.com/20040133389.html - 52k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Apparatus and method for trace stream identification of a pause ...

A pause point sync marker is generated in a program counter **trace** stream as a result of the ... To understand the origin of the **program** **flush** sync point, ...
www.freepatentsonline.com/20040133386.html - 52k - Supplemental Result -
[Cached](#) - [Similar pages](#)

flush command on AIX 4.3 - dBforums

I have **program** **flush** in /usr/local/bin and I don't know what is it ... You could even use the watch command or kernel **trace** it.... or if you are running 5L ...
dbforums.com/showthread.php?i=896013 - 66k - Supplemental Result -
[Cached](#) - [Similar pages](#)

[PDF] Independent Investigation of the East Tennessee Technology Park ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
trace quantities of beryllium. From 1984 to 1990,. beryllium temperature sensors called "hockey ... and maintenance **program** (Flush. sediments from K-710); ...
https://www.ssa.doe.gov/reports/gdps/0010ettp/eitpvol1f.pdf - [Similar pages](#)

Apparatus and method for identification of a new secondary code ...

Trace signals are signals from a multiplicity of selected locations in the target processor 12 ... To understand the origin of the **program** **flush** sync point, ...
www.patentdebate.com/PATAPP/20040133824 - Supplemental Result - [Similar pages](#)